TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island Light Station, Newport, R.I. MONTH OF February

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
	2560		200	30	8400		
RECEIVED	000		00	0	000		
EXPENDED	460		20	1	1700		
REMAINING	2100		180	29	6700		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON LOW VISIBILITY	RADIO BEACON REGULAR CALIBRATION	RADIO BEACON SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	23:00 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	18:00 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	41:00 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED _____ DAYS LOST _____ ACCIDENTAL DAMAGE TO PROPERTY, $ _____

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT
Robert E Pierson BM2
Robert E. Pierson BM2
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Sta.

DATE Monday 1 Feb. 1960 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	ESE	2	30.28	-	23	BC	-	-	8	-	-
0400	E	2	30.20	-	25	BC	-	-	8	-	-
0800	ENE	2	30.15	-	27	BC	-	-	8	-	-
1200	ENE	3	30.12	-	30	BC	-	-	8	-	-
1600	ENE	3	30.08	-	32	BC	-	-	8	-	-
2000	NE	3	30.01	-	29	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2560	30	8400
EXPENDED	15	-	50
REMAINING	2545	30	8350

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0709 Time Lighted 1645

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		0	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0707 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period, ABC drill
1345 - Secured drill, continue work
1600 - Secured for day
1645 - Main light in operation
1800 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday Feb 2, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.99	-	31	Bc	-	-	8	-	-
0400	N	2	29.97	-	33	C	-	-	8	-	-
0800	N	3	29.95	-	34	C	-	-	8	-	-
1200	N	3	29.94	-	38	o-s	-	-	8	-	-
1600	N	3	29.90	-	35	o-s	-	-	8	-	-
2000	N	3	29.84	-	30	o	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2545	30	8350
EXPENDED	15	-	50
REMAINING	2530	30	8300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0710 Time Lighted 1646

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
1145	1245	1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		1	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis AIN

0700 - Checked all vis AIN

0710 - Secured main light

0800 - Colors, turn to

1145 - Fog signal, main light in operation

1200 - Chow

1245 - Secured fog signal on main light

1300 - Continue work, Martel, EN3 returned to unit
Richardson, SN departed on liberty

1600 - Secured for day

1646 - Main light in operation

1701 - Sunset, Evening colors

2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 3 Feb. 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	29.89	–	26	C	–	–	8	–	–
0400	NNW	3	29.95	–	29	c	–	–	8	–	–
0800	NNW	3	30.00	–	36	c	–	–	8	–	–
1200	NNW	3	30.04	–	39	c	–	–	8	–	–
1600	NNW	3	30.09	–	35	C	–	–	8	–	–
2000	NNW	3	30.12	–	30	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2530	30	8300
EXPENDED	15	–	50
REMAINING	2515	30	8250

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0711 Time Lighted 1648

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		1	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis. A/N
0711 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period - fire drill
1345 - Secured drill, continue work
1600 - Secured for day
1648 - Main light in operation
1703 - Sunset, Evening colors
2000 - Checked all vis A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 4 Feb. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	30.17	-	26	BC	-	-	8	-	-
0400	N	2	30.20	-	30	BC	-	-	8	-	-
0800	N	2	30.22	-	41	BC	-	-	8	-	-
1200	N	1	30.26		38	BC	-	-	8	-	-
1600	N	1	30.27		36	BC	-	-	8	-	-
2000	N	1	30.25		33	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2515	30	8250
EXPENDED	15	-	50
REMAINING	2500	30	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0712 Time Lighted 1657

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL: TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON: TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		-			TOTAL FOR DAY								
TOTAL FOR MONTH		1	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis AIN
0712 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period, damage control drill
1345 - Secured drill, continue work
1430 - Gr. Comdr. held inspection of entire unit,
Richardson, SN. returned to unit.
1600 - Secured for day
1649 - Main light in operation
1704 - Sunset, Evening colors.
2000 - Checked all vis. AIN

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday Feb 5, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.22	-	37	BC	-	-	8	-	-
0400	NW	1	30.21	-	39	BC	-	-	8	-	-
0800	NW	1	30.19	-	42	BC	-	-	8	-	-
1200	NW	1	30.15	-	46	BC	-	-	8	-	-
1600	WSW	2	30.10	-	40	BC	-	-	8	-	-
2000	SSW	2	30.00	-	35	C	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2515	30	8200
EXPENDED	15	-	50
REMAINING	2500	30	8150

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0707 Time Lighted 1650

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
		1	00										
TOTAL FOR DAY		1	00		TOTAL FOR DAY								
TOTAL FOR MONTH		2	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis AIN
0707 - Secured main light
0800 - Colors, turn to
0900 - tested fog signal
1000 - Secured fog signal test
1200 - Chow
1300 - Drill period, Safety instr.
1400 - Secured drill, continue work.
1600 - Secured for day
1650 - Main light in operation
1705 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Price BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 6 Feb. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSE	3	29.86	-	33	o	-	-	8	-	-
0400	SE	4	29.70	-	37	O-R	-	-	7	-	-
0800	SE	5	29.50	-	42	O-R	-	-	7	-	-
1200	SE	4	29.43	-	43	O R	-	-	7	-	-
1600	SE	3	29.35	-	43	BC	-	-	8	-	-
2000	SE	2	29.27	-	41	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2500	30	8150
EXPENDED	20	-	100
REMAINING	2480	30	8050

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0706 Time Lighted 1652

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AN
0400 - Checked all vis. AN
0706 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Continue work
1600 - Secured for day
1652 - Main light in operation
1607 - Sunset, Evening of colors
2000 - Checked all vis. AN

CERTIFIED TO BE CORRECT

Robert E. Pierson BMC
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday Feb 7, 1960 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	29.27	-	38	BC	-	-	8	-	-
0400	SE	3	29.24	-	36	BC	-	-	8	-	-
0800	SE	3	29.26	-	39	BC	-	-	8	-	-
1200	SE	4	29.28	-	40	BC	-	-	8	-	-
1600	SE	4	29.29	-	42	BC	-	-	8	-	-
2000	SE	4	30.00	-	37	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2480	30	8050
EXPENDED	20	-	50
REMAINING	2460	30	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0704 Time Lighted 1653

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIK

0400 - Checked all vis. AIK

0704 - Sunrise, Secured main light

0800 - Colors, turned to routine clean up

1000 - Observed Sabbath, Holiday Routine

1200 - Chow

1653 - Main light in operation

1708 - Sunset, Evening colors

2000 - Checked all vis AIK

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday Feb 8, 1960 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	4	30.04	-	30	BC	-	-	8	-	-
0400	SSW	4	30.10	-	33	C	-	-	8	-	-
0800	SW	5	30.01	-	37	C	-	-	8	-	-
1200	SW	5	29.93	-	40	c	-	-	8	-	-
1600	SW	5	29.81	-	36	c	-	-	8	-	-
2000	SW	5	29.73	-	32	O	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2460	30	8000
EXPENDED	15	1	50
REMAINING	2445	29	7950

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0703 Time Lighted 1654

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
		1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		3	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis AIN
0400 - Checked all vis AIN
0703 - Secured main light
0800 - Colors, turn to
0900 - 1000 - tested fog signal
1200 - Chow - Mattl, EN3, departed on liberty
1300 - Drill period - Fire drill
1345 - Secured drill, continue work
1600 - Secured for day
1654 - Main light in operation
1709 - Sunset, Evening colors
2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert E. Pearson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 9 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	29.66	–	27	O-M	–	–	8	–	–
0400	SW	4	29.60	–	30	O-Z	–	–	8	–	–
0800	SW	3	29.54	–	38	O-Z	–	–	8	–	–
1200	SW	3	29.50	–	43	O	–	–	8	–	–
1600	S	3	29.58	–	39	O	–	–	8	–	–
2000	S	3	29.62	–	34	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	2445	29	7950
RECEIVED			
EXPENDED	15	–	50
REMAINING	2430	29	7900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0702 Time Lighted 1656

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–		
TOTAL FOR MONTH		3	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis. A/N
0702 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period - ABC drill
1345 - Secured drill, continue work
1600 - Secured for day
1656 - Main light in operation
1713 - Sunset, Evening colors
2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert C. Pederson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 10 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	29.70	–	28	c	–	–	8	–	–
0400	SE	2	29.75	–	30	c	–	–	8	–	–
0800	ESE	2	29.80	–	40	c	–	–	8	–	–
1200	ESE	2	29.83	–	47	c	–	–	8	–	–
1600	ESE	3	29.79	–	43	c	–	–	8	–	–
2000	ESE	3	29.75	–	40	o	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2430	29	7900
EXPENDED	15	–	50
REMAINING	2415	29	7850

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0701 Time Lighted 1658

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–		
TOTAL FOR MONTH		3	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0701 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - ~~Drill~~ REP Continue work, Martel ENg' returned on Richarson, SN departed on liberty. Civilian contractor arrived to secure information on bid to repair work.

1600 - Checked all vis. A/N

1658 - ~~Sunset Evening colors~~ REP Main light in operation

1713 - Sunset, evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 11 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	29.68	–	43	O-Z	–	–	7	–	–
0400	SE	4	29.60	–	47	O-R	–	–	7	–	–
0800	SE	5	29.55	–	50	O-R	–	–	7	–	–
1200	SE	5	29.57	–	54	O-R	–	–	7	–	–
1600	S	5	29.60	–	49	O-Z	–	–	7	–	–
2000	SSW	4	29.63	–	43	O-Z	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2415	29	7850
EXPENDED	15	–	50
REMAINING	2400	29	7800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0659 Time Lighted 1658

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1030	1700	6	30	
2300	2400	1	00	
TOTAL FOR DAY		7	30	
TOTAL FOR MONTH		10	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A+N
0400 - Checked all vis. A+N
0659 - Secured main light
0800 - Colors, turn to
1030 - fog signal, main light in operation
1200 - Chow
1300 - Drill period - damage control + safety insts.
1400 - Secured drill - Continue work.
1600 - Secured for day
1658 - Main light in operation prior.
1700 - Secured fog signal
1712 - Sunset Evening colors
2000 - Checked all vis. A+N
2300 - Fog signal in operation
2400 - Secured fog signal -

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 12 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	29.66	-	37	C	-	-	7	-	-
0400	W	3	29.70	-	39	BC	-	-	8	-	-
0800	WNW	3	29.73	-	41	BC	-	-	8	-	-
1200	WNW	3	29.76	-	45	BC	-	-	8	-	-
1600	WNW	3	29.79	-	38	BC	-	-	8	-	-
2000	NW	3	29.82	-	27	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2400	29	2800
EXPENDED	20	-	50
REMAINING	2380	29	2750

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0658 Time Lighted 1659

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		10	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AN
0400 - Checked all vis. AN
0658 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period, service etiquette, seamanship piloting
1400 - Secured drill, continue work, Richardson, SN returned to unit, Received chest of drawers from Castle Hill.
1600 - Secured for day
1654 - Main light in operation
1714 - Sunset, Evening colors
2000 - Checked all vis AN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(*Officer in Charge*)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 13 Feb. 1960 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.87	–	20	BC	–	–	8	–	–
0400	NNW	2	29.93	–	21	BC	–	–	8	–	–
0800	NNW	2	29.98	–	24	BC	–	–	8	–	–
1200	NNW	2	30.00	–	33	BC	–	-		–	–
1600	W	3	29.90	–	30	C	–	-		–	–
2000	SW	3	29.75	–	28	C	–	-		–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2380	29	7750
EXPENDED	20	-	100
REMAINING	2360	29	7650

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0656 Time Lighted 1701

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		10	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis A/N

0400 - Checked all vis A/N

0656 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Continue work

1600 - Secured for day

1701 - Main light in operation

1716 - Sunset, Evening colors

2000 - Checked all vis A/N

CERTIFIED TO BE CORRECT

Robert E. Pension BM2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 14 Feb 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	4	29.63	–	25	O-S	–	–	7	–	–
0400	SE	4	29.55	–	30	O-S-F	–	–	7	–	–
0800	ESE	4	29.40	–	34	O-R-F	–	–	7	–	–
1200	S	5	29.29	–	36	O-R-F	–	–	7	–	–
1600	SSW	5	29.17	–	33	O	–	–	8	–	–
2000	SSW	5	29.20	–	31	BC	–	–	9	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2360	29	7650
EXPENDED	20	–	100
REMAINING	2340	29	7550

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0655 Time Lighted 1702

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		10	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0700 - Secured main light
0800 - Colors, Routine clean up
1000 - Observed Sabbath
Holiday Routine
1200 - Chow
1600 - Checked all vis AIN
1702 - Main light in operation
1717 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pearson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 15 Feb 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	5	29.38	-	30	BC	-	-	8	-	-
0400	W	4	29.47	-	32	B	-	-	8	-	-
0800	W	4	29.64	-	34	B	-	-	8	-	-
1200	W	4	29.67	-	40	B	-	-	8	-	-
1600	W	4	29.70	-	37	B	-	-	8	-	-
2000	W	4	29.72	-	32	B	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2340	29	7550
EXPENDED	20	-	50
REMAINING	2320	29	7500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0654 Time Lighted 1703

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
		1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		11	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0654 - Secured main light

0800 - Colors, turn to

0900 - tested fog signal

1000 - Secured fog signal

1200 - Chow

1300 - Drill period, Fire drill

1345 - Secured drill, continue work

1600 - Secured for day

1703 - Main light in operation

1718 - Sunset, Evening colors.

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 16 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	4	29.76	–	29	B	–	–	8	–	–
0400	SW	4	29.80	–	30	BC	–	–	8	–	–
0800	SW	4	29.83	–	33	BC	–	–	8	–	–
1200	SW	4	29.87	–	39	BC	–	–	8	–	–
1600	SW	4	29.90	–	36	BC	–	–	8	–	–
2000	W	4	29.95	–	31	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2320	29	7500
EXPENDED	20	~~29~~	50
REMAINING	2300	29	7450

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0652 Time Lighted 1705

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		11	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis AIN

0652 - Secured main light

0800 - Colors, turn to

1000 - Received all tile + material tickets.

1200 - Chow

1300 - Drill period, safety instr.

1400 - Secured drill, continue work

1600 - Secured for day

1705 - Main light in operation

1720 - Sunset, Evening colors

2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 17 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	29.99	–	27	BC	–	–	8	–	–
0400	NW	3	30.00	–	30	BC	–	–	8	–	–
0800	NW	3	30.02	–	38	BC	–	–	8	–	–
1200	NW	3	30.03	–	44	BC	–	–	8	–	–
1600	NW	3	30.05	–	39	BC	–	–	8	–	–
2000	NW	2	30.06	–	35	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2300	29	7450
EXPENDED	20	–	50
REMAINING	2280	29	7400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0658 Time Lighted 1706

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		–	–		TOTAL FOR DAY								
TOTAL FOR MONTH		11	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0651 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Richardson, SN, departed on liberty,
Drill period, damage control drill

1400 - Secured drill, continue work

1600 - Secured of day

1706 - Main light in operation

1721 - Sunset, Evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 18 Feb 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	30.07	-	30	Bc	–	–	8	–	–
0400	CA/m		30.07	-	36	Bc	–	–	8	–	–
0800	CA/m		30.08	–	49	BC	–	–	8	–	–
1200	SW+	2	30.02	–	53	Bc	–	–	8	–	–
1600	SW	5	29.90	–	48	C	–	–	8	–	–
2000	SW	5	29.75	–	40	O	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2280	29	7400
EXPENDED	20	–	50
REMAINING	2260	27	7350

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0649 Time Lighted 1707

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		–	–		TOTAL FOR DAY								
TOTAL FOR MONTH		11	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0647 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Drill period, ABC drill

1400 - Secured drill, continue work

1600 - Secured for day

1707 - Main light in operation

1722 - Sunset Evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 19 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	5	29.50	-	36	O-R	-	-	7	-	-
0400	WSW	5	29.20	-	38	O-R	-	-	7	-	-
0800	WSW	4	28.96	-	41	O-R	-	-	8	-	-
1200	W	4	29.03	-	45	O	-	-	8		
1600	W	4	29.10	-	40	O	-	-	8		
2000	WNW	3	29.17	-	36	O	-	-	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2260	29	7350
EXPENDED	15	-	50
REMAINING	2245	29	7300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0647 Time Lighted 1709

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
			30	
TOTAL FOR DAY			30	
TOTAL FOR MONTH		12	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1300 TIME STOP 1330

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AtN

0400 - Checked all vis. AtN

0647 - Secured main light

0800 - Checked all vis AtN
Colors, turn to

1200 - Chow - Richardson, SN returned, Martel, EN3
departed on liberty

1300 - District Safety Engineer an Gr. Comdr. arrived
for inspection. tested fog signal

1330 - Secured fog signal test.

1345 - Inspection party departed.

1600 - Secured for day

1709 - Main light in operation

1724 - Sunset, Evening colors

2000 - Checked all vis AtN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 20 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.25	–	30	C	–	–	8	–	–
0400	NW	3	29.31	–	33	BC	–	–	8	–	–
0800	NW	3	29.47	–	40	BC	–	–	8	–	–
1200	NW	3	29.50	–	39	BC	–	–	8	–	–
1600	NW	3	29.54	–	37	BC	–	–	8	–	–
2000	NW	3	29.58	–	34	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2245	29	7300
EXPENDED	20	–	100
REMAINING	2225	29	7200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0646 Time Lighted 1710

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		12	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0646 - Secured main light.

0800 - Colors - turn to

1200 - Chow

1300 - Continue work

1600 - Secured for day

1710 - Main light in operation

1725 - Sunset, Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday Feb 21, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.60	-	30	BC	-	-	8	-	-
0400	NW	3	29.64	-	32	BC	-	-	8	-	-
0800	NW	3	29.67	-	34	BC	-	-	8	-	-
1200	NNW	2	29.69	-	36	BC	-	-	8	-	-
1600	NNW	2	29.72	-	38	BC	-	-	8	-	-
2000	NNW	2	29.75	-	40	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2225	29	7200
EXPENDED	15	-	50
REMAINING	2210	29	7150

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 171[illegible]

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		1200		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis A/N
0645 - Secured fog signal
0800 - Colors, turn to
1000 - Observed Sabbath,
Holiday Routine
1200 - Chow
1600 - Checked all vis. A/N
1711 - Main light in operation
1726 - Sunset, Evening colors
2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday Feb 22, 1960 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNW	1	29.77	-	43	B	-	-	8	-	-
0400	NNW	1	29.79	-	46	B	-	-	8	-	-
0800	calm		29.80	-	50	B	-	-	8	-	-
1200	NW	1	29.80	-	48	B	-	-	8	-	-
1600	NW	2	29.81	-	46	B	-	-	8	-	-
2000	NW	2	29.82	-	43	B	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2210	29	7150
EXPENDED	10	-	50
REMAINING	2200	29	7100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0643 Time Lighted 1714

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		1200		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0643 - Secured main light

0800 - Colors - turn to

1200 - Chow, Martel EN3, [illegible], Pierson, MA2 departed on liberty

1800 - Damage control drill

1345 - Secured drill, continue work

1600 - Secured for day

1714 - Main light in operation

1729 - Sunset Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday Feb 23, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.83	-	42	B	-	-	8	-	-
0400	NW	2	29.84	-	41	B	-	-	8	-	-
0800	NW	2	29.84	-	40	B	-	-	8	-	-
1200	NNW	1	29.86	-	35	B	-	-	8	-	-
1600	NNW	1	29.87	-	30	B	-	-	8	-	-
2000	NNW	1	29.89	-	25	B	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2200	29	7100
EXPENDED	20	-	50
REMAINING	2180	29	7050

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0642 Time Lighted 1715

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
		1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		13	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis. A/N
0642 - Secured main light
0800 - Colors, turn
0900 - Tested fog signal
1000 - Secured fog signal test
1200 - Chow
1300 - ~~Stock~~ Fire drill
1700 - Secured drill, continue work.
1600 - Checked all vis. A/N
1715 - Main light in operation
1730 - Sunset, Evening colors
2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday Feb 24. 1960 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.91	-	28	B	-	-	8	-	-
0400	SW	1	29.93	-	32	B	-	-	8	-	-
0800	SW	1	29.95	-	38	B	-	-	8	-	-
1200	SW	1	29.97		36	B	-	-	8	-	-
1600	SW	1	29.99		34	B	-	-	8	-	-
2000	NW	1	30.01		30	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2180	29	7050
EXPENDED	20	-	50
REMAINING	2160	29	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0640 Time Lighted 1715

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		13	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked off vis. AIN
0400 - Checked all vis. AIN
0640 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - ABC drill
1345 - Secured drill, continue work
1600 - Secured for day
1715 - Main light in operation
1730 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pearson BMC
(Officer in Charge)

700

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday Feb 25, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.10	–	32	BC	–	–	8	–	–
0400	NW	1	30.15	–	35	BC	–	–	8	–	–
0800	NW	2	30.20	–	38	BC	–	–	8	–	–
1200	W	3	30.12	–	44	C	–	–	8	–	–
1600	SSW	4	30.05	–	46	C-G	–	–	7	–	–
2000	S	4	29.96	–	40	O-S	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2160	29	7000
EXPENDED	10	–	50
REMAINING	2150	29	6950

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0638 Time Lighted 1716

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		13	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0638 - Secured main light

0800 - Turn to, Colors

1200 - Chow.

1300 - Safety insts.

1400 - Secured insts., continue work.
Richardson, SN, departed on liberty

1600 - Secured for day

1716 - Main light in operation.

1731 - Sunset, Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Perrin BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 26 Feb. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	3	29.95	–	34	O-S	–	–	7	–	–
0400	SSE	3	29.55	–	36	O-R-F	–	–	7	–	–
0800	SSE	3	29.46	–	43	O-R-F	–	–	7	–	–
1200	SSE	3	29.41	–	45	O	–	–	6	–	–
1600	S	3	29.49	–	41	O	–	–	7	–	–
2000	S	3	29.51	–	38	O	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2150	29	6950
EXPENDED	20	–	50
REMAINING	2130	29	6900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1717

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0830	1300	4	30	
TOTAL FOR DAY		4	30	
TOTAL FOR MONTH		17	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0600 - Secured main light
0800 - Colors, turn to
0830 - Fog signal, main light in operation
1200 - Chow
1300 - Continue work,
Secured fog signal, main light
1600 - Secured for day
1717 - Main light in operation
1732 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Prince BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 27 Feb 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	3	29.54	-	35	C	—	—	8	—	—
0400	SSW	3	29.59	-	36	BC	-	/	8	—	—
0800	SSW	4	29.61	-	38	BC	—	-	8	—	—
1200	SW	4	29.64	-	44	BC	—	—	8	—	—
1600	SW	4	29.70	-	40	BC	-	-	8	-	-
2000	W	3	29.80	—	37	BC	-	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2130	29	6900
EXPENDED	15	—	100
REMAINING	2115	29	6800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0635 Time Lighted 1719

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		17	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A1K

0400 - Checked all vis. A1K

0635 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Continue work

1600 - Secured for day, Richardson, SN, returned to unit Station, clothing, personnel inspection

1719 - Main light in operation

1734 - Sunset, Evening colors

2000 - Checked all vis. A1K

CERTIFIED TO BE CORRECT

Robert E. [illegible] BMC
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 28 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	29.81	–	34	BC	–	–	8	–	–
0400	NW	2	29.95	–	36	BC	–	–	8	–	–
0800	NW	2	30.00	–	40	BC	–	–	8	–	–
1200	NW	2	30.02	–	44	BC	–	–	8	–	–
1600	NW	2	29.99	–	42	BC	–	–	8	–	–
2000	NW	2	29.97	–	40	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2115	29	6800
EXPENDED	15	–	50
REMAINING	2100	29	6750

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0634 Time Lighted 1720

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		17	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0634 - Secured main light

0800 - Colors, Routine clean up

1000 - Observed Sabbath
Holiday Routine

1200 - Chow

1600 - Checked all vis. A/N

1720 - Main light in operation

1735 - Sunset, Evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 29 Feb. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	29.95	-	39	BC	-	-	8	-	-
0400	NW	1	29.94	-	37	BC	-	-	8	-	-
0800	NW	2	29.92	-	36	BC	-	-	8	-	-
1200	NW	2	29.95	-	42	BC	-	-	8	-	-
1600	NW	2	29.97	-	37	BC	-	-	8	-	-
2000	NW	2	30.00	-	34	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2100	29	6750
EXPENDED	-	-	50
REMAINING	2100	29	6700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0633 Time Lighted 1721

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
			30										
TOTAL FOR DAY			30		TOTAL FOR DAY								
TOTAL FOR MONTH		18	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0830 TIME STOP 0900

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis AIN

0400 - Checked all vis AIN

0633 - Secured main light

0800 - Colors, turn to

Martel EN3 departed on liberty

0830 - tested fog signal

0900 - Secured fog signal test

1000 - Rose Island Lighted Buoy #12 LL#550 reporting sinking.

1200 - Chow

CGC W403 picked up buoy to repair

1300 - Continue work

1500 - CGC W403 returned buoy, operating properly.

1600 - Secured for day

1721 - Main light in operation

1736 - Sunset, Evening colors

2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert E. Perrin RM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1